


Froduct KCC 8281



KCC-8281 is a coaxial tool for type BNC, TNC, Twinax connectors, RG 6, 143, 212. Hex-crimp 8,23 and 1,69/.067" and .324".

- High strength, through hardened alloy steel construction
- Unique mechanism significantly reduces hand force requirement over competing crimping tools
- Versatile and easy to customize for right hand or left hand users.
- Non-slip pad holds tool in place when leveraging on a work surface
- Full cycle crimp mechanism to ensure consistent, reliable crimp
- Ratchet release mechanism to clear miscrimps and obstructions
- Precision eccentric adjustment for consistent performance and ability to calibrate
- · Hole in handle allows attachment of safety strap
- · Each tool has a unique serial number for traceability





Crimp profile

TECHNICAL DATA Length: 256 mm/10.08" Width: 22 mm/0.87" Height: 80 mm/3.15" Weight: 560 gr/1.23 lb Crimp dimensions mm/mm²: 8,23 mm/1,69 mm Crimp dimensions inch/AWG: .324/.067 Connector: Coaxial connector Description: For example BNC, TNC, Twinax connectors on RG 6, 143, 212. Life span, cycles: 50,000 Cables: 1695, RG143A/U, RG212/U, RG222/U, RG6 Quad, RG6A/U, TWINAX

Pressmaster AB P.O. Box 3, Industrivägen SE-796 21 Älvdalen, Sweden Tel: +46 (0)251-451 00 info@pressmaster.se www.pressmaster.com